SUPPLEMENT TO

The Gazette



of **Endia**

No. 36] NEW DELHI, SATURDAY, SEPTEMBER 14, 1957/BHADRA 23, 1879

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th, August, 1957

	Ся	ASELIO	SMA	LLPOX	PLA	GUE		Сно	<u>LE</u> RA	SMAL	LPOX	PLA	AGUB
	C.	D.	C.	D.	C.	D	-	C.	D.	C.	D,	C.	D.
	Αı	adhra	Prade	sh					Bihar				
Srikakulam	••	••	7	4	••	••	Patna	146	26	I		**	-
Visakhapatnam .	-	••	I	r	••	• •	Gaya	133	56				
West Godavari .	••	••	• •	3 .	••	••	Shahbad	157	99	4	••	••	••
Krishna	•	••	8	2	,.	• •	Saran	10	7	••	••		• •
Guntur • •	••	••	14	3	••	••	Monghyr	282	94	••	••	••	••
Nellore :	••	••	12	2	••	••	Santal Paraganas .	10	5	••	••	••	••
Kurnool	2	r	5	••	••	P-6	Hazaribagh . •	42	31		• •	••	
Cuddapah -	••	•••	5	I	••	•	Palamau	7	2	••			••
Chittoor • •	••	••	17	1	••		Bhagalpur	4	2	••	••	••	••
Warrangal	64	14	I	1	••	••	Dhanbad	4		••			••
Karimnagar	34	20	••	••	•	•	Total .	795	323	5	I	••	
Adilabad • •	4	4	••	• •	٠.	- 4	Total for w/e 10-8-57	706	302		I		
Nizamabad	19	11	••	••	••	••	Total for w/e 3-8-57	•	368	36	5	••	••
Medak	8	4	••	• •	••	••	Total for who is 6-5	, 0,1 4	500	50	ט	••	••
Mehboobnagar. •	4	1	• •	••	••	••		1	Вошьау				
Hyderabad	t	4I	I	••	••	••		•	, "N.R."				
TOTAL	136	56	71	18		••	Total •						
Total for w/e 10-8-57		31	95	.18				•	••	••		• •	••
•		-			••	**	Total for w/c 10-8-57	171	24	14	3	••	••
Total for w/e 3-8-57	36	14	59	14		+1	Total for w/e 3-8-5	7 164	43	42	18	••	••
	A	ee m							Delhi				
Kamrup	••	••	2,	ı	••	4.			"N. R.'	,			
TOTAL .	••	••	2	I	••		TOTAL .	•	••	••		••	••
Total for w/c 10-8-57	-	••	048	••	••	₩.	Total for w/e 10-8-5	7 ••	••	I	2		••
Total for w/c 3-8-57	,		••	••		••	Total for w/e 3-8-5	7 ••	••	3	I	••	π.
Expla	natigu	of jSyr	n bols u	sed:	C, = 0	Cases; D	_Deaths;=Nil; "	N.R" ≔	Informa	ition no	ot recei	vod.	

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th August, 1957—contd.

	CHOLERA	SMAL	LPOR	PLAG	7U8		Сно	LEDA	Smai	LPOx	PL	AGVE
	G. D	C.	D,	C.	D.	_	C.	D.	C,	D,	C.	D.
	Himacl	m) Prad	lesh				M	anipur				
Mahasu	••	. 10	2	••	••	TOTAL			• 9	••		
Total	••	. 10	2	• •		Total for w/e 10-8-57		••			0.3	
Total for w c 10-8-57	**	10	2	••		Fotal for w/c 3-8-57						••
Total for w/e 3-8-57		. 10	2		••	, , ,		••	• /	••	••	••
	Ker	ala						Mysora	,			
		.R."						-				
Total .		••				Bangalore	••	••	13	6	••	••
Total for w/c 10-8-57	••	,	••			Kolar	••	••	• 8	1	••	••
Total for w/c 3-8-57			8			Mandya	••	••	2	2	••	
1 otal for w/e 3-0-5/	••	14	o	••	••	Mysore	••	••	4	••	••	••
M	adhya P	radesh				Bellary	••		11	6	•-	
	"N.	R."				Bidar	8	2		••	••	
Total .	• •	•• ••	••	••	••	Raichur	7	4	••	••	••	
Total for w/e 10-8-57	4.		*=	••	••	Belgaum	11	7			••	
Total for w/e 3-8-57	••		••	210	-	Bijapur	I2	'4			••	••
	Mad					Coorg (Mercara) .	••	••	4	••		- •
Madras City		0 27	6		••	Total	38	17	42	15		
Chingleput	-	2 6	2		••	Total for w/e 10-8-57	73	20	29	7	-	_
South Arcot .		. 27	16	••	4.	Total for w/e 3-8-57	97	42	3 5	13	3	••
Tiruchirappalli		_	I	••	••	Estation with 3 0-34	y /	4-	23	-5	3	I
- ·			5				o	rissa				
		_		•••	-	Cuttack	27	13	5	I	.:	••
Madurai	•• •		••	••	••	Puri	7	4	ΙÒ	2		- •
Ramanathapuram	••		7	••	••	Ganjam	2		57	18		
Tirunelveli .	-	.2	••	v 16	••	Koraput	••		J			• •
North Arcot .		9	4	••	••	Dhenkanal	5	8	15	3	••	
Salem	• •	. 3I	9	••	••	Keonjhar						• 1
Colmbatore	n ₂ , 1	, 2	I	**	••	Bolangir Patna .	••	٠٠	3	••	••	• •
Nilgiris	••	••	I	- •	••	·	10	5	••	••	••	• •
Kanya Kumari	••	3		••		Sundergarh	••	••	6	I	••	••
Total .	83 3	4 144	52	ē		Kalahandi	6	3	• •	••	••	••
				* *	••	. TOTAL	57	33	97	25	••	••
Total for w/e 10-8-57	49	22 155	56	••	••	Total for w/e 10-8-57	65	36	23	3	••	••
Total for w/e 3-8-57		0 100	23		••	Total for w/e 3-8-57	93	61	58	19	••	• •
Expla	nation of s	ymbols us	ied: (—C2	ses ; D.	-Deaths';Nil; ≪	N.R."	= Inform	natio n	not rec	cived.	

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th August, 1957

	_						inguist, 1957	_				D-	
	Сно	LEPA	SMAL	TLOX.	PLA	GUE		Сн	OLERA	SMA	LLPOX	FLA	GUB
 -	C.	D.	C.	υ.	C.	D.		C.	D.	C.	D,	C.	D.
,	Pondic	horry						West	Beng	al ·			
	۳Ŋ,	_						4 4]	N.R.''				
TOTAL .	••	••		4.4			Grand Total for India						
Total for w/e 10-8-57	• •	••	••	••			(Excluding Bombay, Delhi, Kerala, Madh						
Total for w/e 3-8-57	• •		••	••	••	••	Pradesh, Pondicherry Punjab, Rajasthan	7>	# F 4	411	128		
	Pa	njab					and West Bengal)	1,431	554 .	411	120	••	-
		.R."					Corresponding Total for w/c 10-8-57	1,055	427	368	108	••	
Total .	•••	• •	••	••	••	• •	Corresponding		• ,	•			
Total for w/e 10-8-57		••	••	• •	••	••	Total for w/c 3-8-57	71,181	549	36 5	84	-	_
Total for w/e 3-8-57	••	••	7	4	••	• •							
	Raja	•than					AR	REAR .	INFOI	RMAT	ICN		
	"N.	.R."						w.	et Ben	gel			
TOTAL .		0 3	••	••	••	••		For	w/e 10	-8-57			
Total for w/e 10-8-57	••	••	••		••	_	Burdwan .	35	16	15	7	_	
Total for w/e 3-8-57	••	***	••		••		purewan •	دد	••	ر-	,	_	••
	_						Birbhum • •	2	3	3	-	**	••
		lpura -					Bankura • •	10	9	6	3	-	••
TOTAL ,	4	2	• •	••	••	••	Midnapur	23	13	12	7	••	••
Tota for w/e 10-8-57	••	••	-	***	••	••	Hooghly	11	5	9	7		_
Total for w/e 3-8-57	I		I	••	••	••			_			•••	
	Utter :	Prade	s b				Howrab	25	7	15	8	-	-
Allahabad		••	7	2	•••	••	24-Paragamaa	77	33	56	26	••	••
Basti · ·		••	9	••	••	••	Calcutta	33	15	4	4	••	••
Deoria	••	-	9	4	••			2		2	••		_
Faizabad • •	•	**	I	• •	••	••	Nadia . •	2	4-4	-		••	•-
Gharwal	••	••	6	5	••	••	Murshidabad	7	4	16	10	••	6.0
Kanpur · ·	15	10	2	I	• •	-	Malda • •		••	13	11	••	••
Kheri	26	15	••	••	_								
Lucknow · -	88	24		••	••	•=	Purulia	105	41	4	••		•••
Meerut	••	••	•	I	••	••	TOTAL	330	146	151	83	••	••
Mirzapur	72	26	6	I	••	••							
Shahjanpur	117	14	••	. ••	••	••		Bor	nbay				
Total	318	89	40	14	••	••		For w	le 10-8	-5 7			
Total for w/e 10-8-57	81	16	59	2 I	_	_	Greater Bombay .	• •	••	8	2	••	••
Total for w/e 3-8-57	29	14	66	14		••	Ahmedabad .		••	1	-	••	••
Expl	anation	of syr	nbols o	ısed: —	CC	Cases s	De = Deaths ; Nil;	"N,R.	"Info	ormatio	n not r	eceived	•

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th August, 1957—contd.

	CHOLERA	SMALLPOX	PLAGUE	CHOLFRA SMALLPOX PLAGUE
	C. D.	C. D.	C _e D _e	C. D. C. D. C. D.
I	Bombayconto	₹.		Korela
Surat .	. 107 7	•		For w/e 10-8-57
Ahmednagar .	• 12 5	2		Trivandrum 2 3
Bast Khandesh.	• 11 4	••		Quilon
Kolhapur .	. 3 1	**		Quiion
Poona •	• 5 I		** **	Trichur 2
Bhir	, зс 6	*>	** **	Malabar
Parbhani	. 3			TOTAL
South Satara .	••	ı	••	
Amreli .		2 1	•= ••	Punjab
Total	171 24	14 3	9 0 6 1	For w/e 10=8-57
				Rohtak 4
	Bih			Total 4
		for wee 2	9-6-57	
Gaya .	• 7 ⁸ 35	; 22 6		Madhya Pradesh
Shahbad . •	• 282 136	5 25 7	• ••	For w/e 20~7-57
Muzaffarpur .	• 127 43	••	••	Raigarh 2
Monghyr .	. 9 -3		••	Satna - 22 4
Palamau	. 64 20	118 4 9	••	Saga 2
Manbhum	- "5 43		••	
Dhanbad .		9 2	~ .	, •
Total	. 565 240	.56 15	4	Sidhi • • 18 0 • • • • •
		1 6-7-57	-	Bastar • • • · · · · · · · · · · · · · · · ·
Patna .	. 1	I		Nimar I 3
Gaya .	. 71	30 14 6	••	Damoh 4 I
Shahbad .	• 160 22	24 6	••	Hoshangabrd • • • 10 1 • · •
Muzaffarpur	3	2	•• ••	Narsinghpur 4 3
Palamau -	- 73 2	5	•• ••	Dilagnus 70 co to 7
Saran .	. 2]	·	••	
Dhanbad	• 4 I	4		Mandla 41 24
TOTAL .		82 42 12	_	TOTAL 127 65 27 5

Explanation of Symbols use 1: $C_r = Cases$; $\Gamma_i = Deaths$; .. = Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th August, 1957-contd.

			Сно	LERA	SMAL	LPOX	PLAC	3UE			Сног	.era	SMAL	LPO¥	PLAG	UE
			C.	D.	C.	D.	C.	Dì			C,	D.	C.	D.	Ç.	Đ,
	I	Madh	ya Pra	desh-	-contd.					hya Pr	edesh	concl	d.			
			for w	/0 27-	·7- 57				Jabalpur		10	5	••			••
Satna .	•	٠	3	••	••	2	••	••	Indore	1		••	I		.,	.,
Shivpur	•	•	••	••	15	2			Seoni	•	ı	I			••	
Sidhi .			3	2		••	••		Bilaspur		22	14	9	1	••	
Umaria			12	7		•• ,	.,	••	Mandla	•	44	18	••	••		
Raigarh	•	•	11	2	12	8	••		TOTAL		106	49	37	ĬI		

Explanation of Symbols used:—C.—Cases; D.—Deaths; ..—Nil.

NEW DELHI-2 (INDIA); The 9th September, 1957.

H. R. SHARMA, for Registrar General, India.

Prosper with the NATION

AGOVERNMENT OF INDIA'S Small Savings Scheme

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
 GREAT RIVER VALLEY PROJECTS
 SOCIAL WELFARE SCHEMES
 RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/ Individual holding upte Rs. 25,000/
IO-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	34 per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/ individual holding upto Rs. 25,000/
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4) per cent per annum at maturity. Jesued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/ Individual holding upto Rs. 1,000/
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 14 per cent on balance upto Rs. 15,000/

15-YEAR ANNUITY CERTIFICATES

Issum Prices: Rs. 3,590/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-

form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

for further particulars and/or rules governing these investments please National Savings Officer of your State.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th August, 1957

								Deat	hs from	:					
To	wn		Mid-year Popn. Est. (000)	В.	B.R.*	C.	s.	Р.	P.	D.D.	R.D.	M.D.	-	D.R.*	I.D.
Andhra	Pradesh	ı						"N.F	ኒ"						
Assam								" N.R	L!*						
Bihar															
Arrah Bihar Bettiah	: :	:	7 2 69 39	4 11 3	2·9 8·3 4·0	2 	••	••	3 2	5 1	2 •• I	••	13 5 3	9`4 3*8 4*0	
Bhagalpur Chapra Darbangha		:	130 71 95	37 35 20	14·8 25·7 10·9	:. ::	::	::	10 1 2	I •••	••	••	41 15 4	16·4 11·0 2·2	 7
Dhanbad Dinapur Gaya	: ·:	:	42 45 153	9 6 27	9·2 6·9 9·2	<u></u>	 	••	35	:: 6	I 20	2	3 6 83	3°7 6°9 28°2	••
Hezeribagh Jamalpur Jamahedpur	: :	:	40 48 253	14 11 123	18·2 11,9 25·3	5	••		2 I	···	••	••	5 2 30	6·5 2·2 6·2	
Katihar Monghyr Muzaffarpur	· ·	•	53 82 1 87	8 23	5•1 13•7	2 I	••	••	2 II	·• 2	:: ::	 ::	11 30	7 °0 17·9	••
Petna Ranchi	: :	:	341 134	129 21	8•1 8•1	••	••	::	6 10	2 7	1	••	22 22	3°4 8°5	8
	TOTAL	•	1,754	481	14.3	12	1	••	8 5	25	26	2	295	8.7	24
Bomba	у														
Ahmedabad Ahmedaagar	.´ .	-	915	631	35•9	••	••	••	96	10	15	••	208	11-8	71
Amainer	`. ·	•	51	22	22.4	••	• •	••	4	••	••	• •	10	10.5	••
Baroda Barsi Bhusawal	: :	•	250 47 65	175 44 39	36·4 48·7 31·2	••	• •	••	30 7 4	10 2 2	17 3 9	••	111 23 15	23·1 25·4 12·0	25 7 3
Broach Cambay Chalisgaon†	: :	:	68 42	28 40	21·4 49·5	••	ï	••	7	ĭ.	3 2	••	19 12	14·5 14·9	7 3
Dhulia Godra Greater Bom	bay	:	92 41 3,590	58 31 1,177	32·8 39·3 17·0	••	3	••	9 5 2	1 40	 137	· · · · · · · · · · · · · · · · · · ·	24 10 683	9·9 12·7 9:6	5 3 191
Jalgaon . Kalyan Kolhapur		:	82 76 164	27 20 118	17·1 13·7 37·4	::	••	::	5 1 8	 2	2 5 16	 	14 10 6 3	8·9 6·8 20·0	3 2 11
Malegaon Miraj Nadiad		:	65 45 73	42 46 5 3	33·6 53·1 37·7	•••	••	••	20 4 24	4 2	2 3 1	 	30 33 36	24.0 38.1 25.6	7 5 4
Parbhani Kamptee Hinganghat	:	:	41 37 36	6 11 36	7·6 15·4 52·0			•••	3 2 3	ĭ	 	•••	9 7 3	9·8 4·3	4 1
Porbander Rajkot Chanda	•	:	66 17 5 44	11 130 23	8·7 38·6 27·2	••	 	•••	12 20 5	8 8 8	7 18 1	ï	35 57 14	16·5 16·5	7 5 6
Veraval Bhavnagar Aurangabad	· : :	:	47 158 76	9 70 12	10 0 23 0 8·2	,	••	··· ··	4 15 1	 4 1	18 1	•••	6 38 8	6.6 13.5 5.5	12
Yeotmal Surrendrana Nagpur	gar 	:	42 44 546	28 14 389	34°7 16°5 37°0	 	• 4	•••	9 2 26	1 3 13	 2 18	 4	23 7 243	28·5 8·3 23·1	77

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of symbols used: — B. = Births; B.R. = Birth Rate; C. = Choiera; S. = Smallpox; P. = Plague; P. = Pevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information: "N.R" = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th August, 1957—contd.

							Death	from	:				
	Mid-y Popn, H										-		
Town	(000)	В.	B.R.*	C,	s.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.•	I.D.
Bombay-contd.													
Wardha	47	75	83.0					I.	2		6	6.6	4
Achalpur Nanded	39 84	21 15	28.0 9.3	•••		- :	10 3	3	••	••	23 11	30 · 7 6 · 8	4 8
Jamnagar	126	26	10.7				5	3	1		12	5.0	3
Dhoraji Nandurbar	48 36	23 19	24·9 27·4	••			3	2	5	***	8 18	5.0 8.7 26 .0	3
Nasik .	124	43	18.0	I			Ţ	3	3	••	35	14.7	\$
Navasari Pandharpur	51 45	32 26	30·3	• •	• •	••	6 3	5	5		15 23	15·3 26·6	6 8
Patan	48	_37	40.1	• •			5	2	4		18	19.5	6
Poona Sarigli	634 60	25 0 4 3	20·5 37·3	••	••	••	2	14 1	38	••	165 17	13·5 14·7	50 3
Satara Sholapur	41 308	9 240	40.2 40.2	••	••	••	2 23	·· 14	3 41	••	11 137	14·0 23·1	1 34
Surat	257	201	40.7	I	••	••	28	5	26	••	183	37.0	34
Thena	64	26	21.1	••	İ	• •	2	1	I	••	20	16.3	2
TOTAL ,	8,990	4,376	25* 3	6	9	••	422	172	421	8 2	2 ,453	14.3	627
Dolhi				•	'n.r."								
Kerala				¢	N.R.								
Madhya Pr	ndesh .			•	N.R."								
Madras													
Ambur	46	17	19.2			••	••			• •	4	4.2	- •
Aruppukottai . Bodinayakanpur .	58 4 1	40 19	35·9	••	••	::		••		••	16 3	14°3 3.8	
Nagercoil	97	38	20.4	.,	••	• •	5	I	2		13	, 7° 0	4
Colmbatore	41 242	35 201	44°4 43°2		::	••		19	1 16	1	110	33.6	28
Guddalore Dindigul	7 5 93	31 22	13.3 51.2	• •	••	••	1	1	1	••	20 11	13.9	7
Brode	70	58	43.1		••	••			3	••	15	11.1 6.5	2
Gobichetty Palyam†													
Guddiyattam Kancheepuram	54 92	40 75	38·5 42·4	••	••	••	• •	4 10	4 6	2	15 37	14.4 20.0	3 6
Karaikudi Karur	45	32	37.0		••		• •	I			10	11.6	2
Kumbakonam .	52 108	26 119	26·0 57·3	••	•••	•••	2 1	•••	3		10 2 0	9°6.	4
Madras	1,770	1,031	30.3	10	8	••	82	94	159	1	625	18.4	171
Mathurai Mayuram	4 43 51	358 59	42·0 60·2	••	4	••	13	12	37 2	3	192 9	22-5 9*2	41 1
Malapalyam† Nagapattinam Ootacamund†	61	53	45*2	••	••	••	3	••	2	••	13	11.1	2
Palni	41	28	35.5				••		4	1	18	22.8	6
Palayamkottai . Periyakulam	46 34	62 24	36·5	••		•••		2	2 2	::	18 14	20·3 (21·4	
Pollachi	53	43	42.2					3			21	20.6	6
Pudukottai Rajapalayam .	51 71	10 24	10·2 17·6		::	::	I	2	4	••	9 15	11.0 6.5	4

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

f Figures not available.

Explanation of symbols used :—B. — Births; B.R. — Birth Rate; C. — Cholera; S. — Smalloox; P. — Plague; P. — Fovers; D.D. — Dysentery and Diarrhoca; R.D. — Respiratory Diseases; M.D. — Maternal Deaths; D.R. — Death Rate; I.D. — Infantile deaths (included in total deaths); ...—Nil Information; "N.R." — Information not received.

									Det	ths fron	0 !				
Town			Midyear PopnEst. (000)	В.	B.R.≠	C.	s.	Ρ,	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D
Mac	dras—	-coni	td.												
Salem Srirangam Srivilliputtur	· †		250 43	160 33	39.8 33.3	••		••			10	2	66 9	10.9 13.4	5 2
Tanjore " Tiruvannamal Tirunciveli	i.	•	122 46 82	83 29 54	35'4 32'8 34'2	••	••		 	1 2 4	6 1 7	ĭ	31 12 35	13.6 13.6	6 3 12
Tiruppur Tiruchirappal Tuticorin	Ш	•	65 258 114	36 91 71	28·8 18·3 32·4	• •	•••	••	 	3 3 4	2 9 4	··	12 65 29	9·6 13·1 13·2	3 11 8
Vaniyambadi Vellore Villupuram	•		44 129 40	30 126 27	35.2 50.8 35.1	••	••	••	 I	 8 3	1 7 2	••	4 64 9	4·7 25·8 11·7	18 3
Virudunagar	•		54	40	38.2	••	••	••	I	2	2		15	14.4	6
To	TAL		4,982	3,225	33.7	Io	16	••	133	186	305	14	1,577	16.2	384
Мус	1070														
Bangslore Mysore Kolse Gold P	ield s	:	1,023 306 176	401 224 66	20·4 38·1 19•5	:: :-	2 ••• I		8 17 3	55 9 4	76 7 2	·· ··	223 80 26	11·3 13·6 7·7	::
Bellary Dayangere Shimoga	•	:	80 72 59	50 27 19	32·5 16·7	••	···	••	4 2 6	3 2 I	7		11 18 38	24.7 [13.0 9.7	~
Hospet Chitaldrug Gulberga	•	: :	47 32 90	13 12 6	14·4 19·5 3·5	••	••	••	 3	 3		 :	5 I 20	1.9 1.9 2.2	••
Belgaum Dharwar Mangalore	•	:	11 3 79 141	15 10 69	6·9 6·6 25·4		••	::	3 •• 2	1 3 9	 2		14 22 66	6·4 14·5 24·3	••
Bagalkot		•	37	34	47.8	••	••	••	3	••	••	••	6	8.4	••
T	OTAL,		2,255	946	31.8	••	3	••	51	91	100	3]	5 30	12'2	-
0	rissa														
Berhampur Cuttack Puri	:	:	75 121 55	45 123 39	31.2 52.9 36.9	 	. 3 4		3 16 24	3 35 16	2 4		20 128 166	13·9 55·0 62·4	3 16 13
Total	•	-	251	207	42*9	••	7	••	43	54	6	••	214	44*3	32
Pondicherr	y	•	69	87	65•6	••	••	~	1	4	3	2	30	22.6	16
Pus	jeb														
Ambala (Amritsar Batala	• •	•	. 67 . 351 . 64	64 239 36	49·8 35·4 29·3	••	••	••	·· •	I 2 I	4 18 3	••	12 67 15	9°9 12°2	5 19 7
*** * *	• •		• 40 • 58 • 46	15 70 36	19·5 62·8 40·7	••	••	••	1 3 1	 I 2	, I , I	1 •••	4 7 12	5·2 6·3 13·6	1 4 3
Hissar Malerkotla Hoshiarpur	:	:	• 40 • 35 • 52	21 15 33	27·3 22·3 33·0	••	••	••	12 4	••	 I	••	13 4 7	7.0 5.9 7.0	6 •• I

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil information.

								Death	ıs from	ı]:—					
Town		M Po	141year phBst. (000)	в.	B.R *	G.	8,	Р.	Ρ,	D,D,	R.D. !	VI.D.	Total	D, ¢	1.D .
Į	Punjab —c	ontd.													
Jullundur Karnal Ludhiana		:	207 74 182	119 62 116	29·9 43·6 33·1	••	••	••	6 7 9	2 	5 1 2	••	21 19 27	5'3 13 4 7'7	5 3 7
Moga Panipat† Patiala		•	4 ² 115	27 89	33·4 40·2	••	••	•••	10	••	·· 3	-• I	4 21	5.0	
Pathankot Rowari Rohtak		:	36 37 40	22 15 67	31.4 31.8 31.8	•••	••	** **	 4 4	4 2		** **	8 13	4.3 11.2 6.1	 2
Simia† Sonipat		•	35	32	47.5		••		I	••	4		2	3.0	I
	Torn	1	″_1,59I	1,068	34'9	••	••	••	72	15	45	2	259	8.3	74
U	tai Pradi	sh													
Agra Allahabad Amroha		•	358 358 61	150 186 52	20·3 27·0 44·3	ĭ		:: -	5	1 4 1	29 3 7 3	••	61 83 20	8·2 12·1 17·0	15 7 4
Bahraich Banaras Ballia	: :	:	48 394 35	7 3 75 12	7·6 549·5 17·8	• *	••	••	55 5	۹ī 13	19 ••	••	253 8	5°4 33 4 11°9	1. 57 2
Banda† Bareilly Bijnor	• :	•	206 32	66 20	33.2 16.7	•••	::.	•••	4	2	3		26 4	6·6	3
Budaun Basti† Bulandshah	 r†	•	54	30	28.9	• •	**		3	• •	2	••	12	11.6	4
Chandausi Dohra Dun Etawah	: :	:	42 153 65	59 43 70	73·0 14·6 5 6·0	**	••	. #2 . #2	7 1 15	 4 4	3	••	22 17 · 45	27°2 5°8 36°0	11 4 11
Faizabad-A Farrukhaba Ferozabad	yodhys d-Fatchgarb)	90 84 82	15 37 7 4	8·7 2 3 ·9 46·9	32 ••	••	••	3 6 4		3	••	7 51 10	6.3 31.6 4.0	2 3
Gaziabad Gazipur Gorakhpur	: :		48 37 143	31 23 66	33·6 32·3 24·0	••	•••	••	2 5 12	4	4	••	8 11 31	11.3 12.2 8.4	6
Gonda . Hapur . Hardwar .			35 50 67	10 40 34	41.6	••	••	••	13 12	2		::	21 27	₹3.0 21.8 21.0	8
Hethres . Jeunpur . Jhensi .			64 58 119	67 20 69	17.9	••	**	• • • •	19 19				33 16 39	26·8 14'3 17'0	2
Kanpur Kasgani Khurja	: :	,	757 35 41	380 7 24		••	I 	••	136 4 5		• • •	 	371 5 10	25·5 7•4 12•7	86 2 4
Koil-Aligar Lucknow Mathura	h .	:	154 506 114	86 448 69	29°0 31°5	••	 	••	8 21 12	13	26		26 183 22	10.0 18.8 18.8	42
Mau-Nath Mecrut Mirzapur	Bhanjan† Vindhyacha	; ;	191 99	112 36			ï	••			. I.	4 ···	30 10		

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate: C.—Cholers: S.—Jmallown: R.—Flague: R.—Fevers D.D.—Dysentery and Distribution; R. D.—Respiratory Deseases; M.D.—Maternal Deaths; D.R.—Death Rate: L.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

										D	caths f	rom :—						
Town				lid-year opn. Est (000)		Р.	R.*	C.	S.	Р.	F,	D.D.	R.D.	M.D.	Total	Í).R,*	I,D.
		U	ttar	Prade	ah-con	ıd.												
Moradapad Muzaffarnega Pilibhit		:	:	167 75 45	105 35 22	32° 24° 25	• 3	••		•••	4 10 7	3	 r		28 13 12	9	8·7 9·0 3·9	11 5 2
Rampur †\ Saharanpur Sambhal		:	:	167 66	112 57	34 · 44 ·		••		••	36 11	I I	I I	••	49 18		5•3 1•2	15 7
Shahjahanpu Sitapur	ır			112 51	42 33	19 33		2		•••	13 3	2 3	ĭ	••	23 11		10.7 11.2	3 3
TOTAL	,		•	5290	3124	30.	7	35	3	••	478	103	234	7	1629	I	6·o	373
Rajo	st	han							" N.F	۲. "								
We	st	Bengal	l						"N.]	R.''•								
	ARREAR RETURNS **Mod. 20-7-57*** ati																	
		Assam						AN				3						
Gauhati Sılchar						53 45	19	11·6	• •	•••	••	18 3	2	••	••	33	32·4 11·6	2
		TOTAL				98	19	15.4	••	_	-	21	2	••	••	43	22.8	2
									w/e 2	7-7-5 7	Ľ							
Gauhati Dibrugarh Silchar	:	•	:	:		53 48 45	15 3 6	14·7 3·3 6·9	••	••	,	8	, 2 ,, I	 I 2	••	26 3 16	25·5 3·3 18·5	3
		TOTAL	•	•	•	146	24	8.5	**	_	_	23	3	3	••	45	16.0	5
								w	/e 3-8	-573								
Gauhati Sılchar	:	•	•	•	:	53 45	12 8	9·2	••	••	••	2	1		• •	2 4 8	23·5 9·2	4 4
		TOTAL	•	•	•	98	20	~10 •6	••		••	2	2	2	••	32	17.0	8
•		Orissa	را						w/e 2	0-7-57	7							
Behrampur Cuttack	•	•	•	:	•	75 121	60 129				6	3 12	2 7	1 15		28 61	19·4 26·2	6
Puri .	:	:	:	:	:	55	40	37.8	••	•••		14	3	3	••	28	26.5	7 6
		TOTAL	•	•	•	251	229	47 · 4	•••		6	29	12	19	I	117	24.2	19
~									w/e 2	7-7-57	rá							
Behrampur Cuttack	:	•	:	•	•	75 121	35 126	24·3	••		6	3 10	2 8	3 15		26 77	33.1 18.0	5 10
Puri .	•	•	•	•	•	55	44	41.6	••		2	10	9	2	I	43	40.7	13
		TOTAL		•	•	251	205	42.5	••		8	23	19	20	2	146	30.2	28
		Rajast	haı	n			0.4			0-7-51				_				_
Ajmer Beawar Bharatpur	•	•	•	:	:	230 61 39	84 19 10	16.2		• •			4 2 	9 5 1	••	50 31 3	11·3 26·4 4·0	10
Bikaner						118	60	26.	4			4	3	, 10	I	40	17.6	9
Churu Ganganagai		:	•	•	•	49 50	3 1	3 · 2	·			4		••	• •	.:	6 2	
Jaipur Tonk					•	367	105					51	6	7	3	124	17.6	40
Tonk Udaipur	:	:	:	:	:	46 110	4 5			• •			• •		••		0.5	

[•] In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

90

15

33

255 12.4

1,070

291 14.1

TOTAL

[†]Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D. D.—Dysentery and Diarrhoes; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.N.—Death; Rate, I.D.—Infantile Deaths (included in total deaths); ..—Nil information; N.R.—Information not received.

Deaths from :--

																_	
	Town	n			Mid-year Popu. Est. (000)	В.	BR,*	С.	s,	Р.	F.	D,D.	R.D.	M.D.	Total	D.R.*	I.D.
	R	ajas	thar	contd.				w/e 27	7-7-57		•						
Churu					49	5	5.3						I		I	I · I	
Sikar	. ,		•		52	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••		•••
	Тот	AL	•		101	5	2.6	•••	•••	•••	•••	***	Ι		1	0.2	•••
								w/c 13	- 7- 57					(Supp	lement a	ry)	
Jodhpur					207	28	7.0		2		9		2		21	5.3	7
Sikar . Ganganagar			:		52 50	5 2	5·0		 I		 4		4		4 5	4·0	
					5			!									
T 41					_			w/c 2 9·			_				~	.	
Jodhpur Udaipur	: :		:		367 110	60 I	8·5 0·5	•••	I		4 1	•••		•••	5 10	5·2 4·7	2
								w/e 22-	6-57								
Udaipur]					***	6	2.8				1		r	. ,,,	16	7.6	3
Odaipur	•		•	• •	110	0	2.3		•••	•••	_	•••	-	***	10	, ,	,
	Ori	5 88						w/e 3-8	-57								
Behrampur					75	50	34.7	•••	15		4 10	2 22	3 12		40 92	27·7 39·5	9 11
Cuttack Puri		! •	:	: :	121 55	125 42	53·7 39·7	•••	***		10	6	2			30.3	8
	Тот	'AL			251	217	45.0		15		24	30	17		164	34.0	28
								w/c 10-	8-57								
Th. 1									I				2		25	17.3	7
Behrampur Çuttack		•	:	: :	75 121	35 126	24 3 54 I	•••		•••	13	4 26 6	16 1	I	93	40.0	7 8
Puri .		•	•		55	46	43.2	•••			24			3	45	42.5	
	Тот	AL	•	• •	251	207	42.9	•••	I	•••	41	36	19	4	163	33.8	22
								w/e 4-5	5-57.								
Srinagar					246	144	30.4	147	•••	•••	I		5		26	5.2	4
							•	w/c 11-	5-57								
Do.	. ,				246	180	38.1						5	I	24	5.1	I
		•			•				~								
12								w/c 18-			_				70	440	
Do.	•	•	•	• •	246	186	39.3	1**	*11	•	2	1	4		19	4.0	3
								w/e 25	-5- 57 ,								
Do_{r}		•	•		246	168	35.5		•••	•••	3	•••	5	***	33	7.0	1
								w/e 1-0	5-57						•		
Do					246	T 5 A							4		21	4.4	
	•	•	•	•	-40	-74	-	w/e 8-0									
Do.					246	T 70							3		13	2.8	4
10.	•	•	•	• •	246	150				•••	•••		,		-5		•
ъ								w/e 15			_		_		20	4.2	, ,
Dc.	•	•	•	• •	246	145					3	•••	5	•••	20	4-2	4
								w/e 22									
Do.'	-	•	•		246	188		***			3		5	***	21	4-4	3
								w/c 29	-6-57								
Do.	•	•	-		246	142	30.0	···				•••	3	***	19	4.0	3
											_						

[&]quot;in cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B,=Births; B.R.=Birth Rate; C.=Cholera; S.=Emailpox; P.=Plague; B.—Fevers; D.D.=Dysentery and Diarrhosa; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D. = Infantile Deaths (included in total deaths); ...=Nil information-

											Deat	hs from	m				
	Town			1	Mid-year Popn-Est. (000)	В.	B.R.*	C,	s.	P.	F.	D,D,	R.D. <u>*</u>	M.D.	Total	D.R.*	I.D.
							w/e	24-6	5-57								
Jammu .					71	33	24 · 2				7	1			15	11.0	
							w	/a. 29)-6-57. ¹								
Do.	•		•		Do.	40	29.3				4	I		• •	12	8.8	1
								/#. 6-	7-57								
Do.	•	•	•	•	Do.	39	28.6	••	- •	• •	4	1	I	••	13	9.5	• •
Do.					Do. ٦	20			-7-57		8		•	Ų		T2.#	ĭ
100,	•	•	•	•	D0.	39	28-6	• •	••	• •	0	I	2	ĭ	17	12.5	1
	De	lh i					w/	e 3-8	-57								
Delhi City. New Delhi					1172 395	666 252	29·5 33·2				. 45 	2 I	13 2	••	117 90	5·2 11·8	22 24
N. A C. Civil S	tation	Delhi	-	•	125	108	44.9		ī	••	3	2	2		ÍΙ	4.6	5
Delhi Cantt. Delhi Shahdar	a a	:	:		53 55	10 56	9.8 52.9	::		• •	2	••	т	••		4.7	2
	То	TAL		•	1800	1092	31.5	• •	I	.:	50	5	18	••	223	6.4	33
Raj	jasthe	,n					w/e :	2 7- 7 -,	57					(Suppli	mentar	y)
Ajmer . Beawar . Bikaner .	:	:	:	:	230 61 118	71 16 35	16·1 13·6 15·4		•••		4 4 4	4 	5 1 5		23 10 * 20	5·2 8·6 8·8	5 3 1
Ganganagar Jaipur . Jodhpur .	:	:	:	:	50 367 207	4 94 19	4·2 13·3 4·8		2		6 40 6	 8 4	 8 3	 2	15 114 23	15·6 16·2 5·8	5 39 3
Tonk . Udaipur .		:	:		. 46 110	5	5·7 5·2			 					3 5	3'4 2'4	
							w/e	20-7-	-57					(Supple	ementar	y)
Jodhpur		,			207	21	,		1		5	3	3	1	19	4.8	. 5
								3-8-									-
Ajmer . Beawar . Bikaner .	:				230 61 118	74 23 30	16·7 19·6		 		8 13 2	 	8 4 4	 	35 25	7·9 21·3 4·8	4 4
Churu . Jaipur . Tonk .	:	:	:	•	49 367 46	4 101 5	4·2 14·3 5·7	•••	••	 	 34	 7	7	 2	 94 2	13.3	31
•	T	TAL			0						57	9		3	167	10.0	39
Mad	lhya	Prade	es.h					w/e	7-6-57						(Arr	ear Ret	urn)
Chhindwara		•		•	. 32	: I.	4 22.7				4	5		2	16	26.0	7
								w/e	29-6-57	,					(Arre	ear Re	turn)
Ratlam		•		•	76	10	5 10.9				2		3		14	9·6	

[•]In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used ;—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Pevers; D.D.=Dyventery and Diarrhoes; R.D.=Respiratory?Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infamile Deaths (included in total deaths); ... Nil information,

Births and Deaths from principal diseases in towns with a population of 30,000 and over in india for the week ending the 17th August, 1957—contd.

			Deaths	from :—	
Town	Midyear Popn. Est. F (000)	3. B.R.* C.	Ş. P.	F. D.D. R	S.D. M.D. Total DIR.* I.D.
Madhya Pradesh		For w/e 7-7-	- 57		
Indore Greater Gwalior	. 281 8	6 19·9 35 15·7 2 13·7	 	5	14 95 13·0 24 17 3·1 1 39 12·7 7
Ratlam Bilaepur	. 40 3	22 ·6 2 41 ·6 2 35 ·8		4 5 6	5 15 10·3 21 27·3 4 2 21 34·1 10
Mandsaur Itarsi		2 14"5 3 21·1			6 7·3 I 7 II·4
TOTAL	. 1045 38	85 19·2	3	6o 8	21 1 221 11.0 46
Andhra Pradesh		For w/e 6	-7-57 (Sug	oplementary)	
Proddatur	. 43	3 3.6	••		3 3.6
	_	For w/e 1		upplementary)	
Hyderabad City	1102 6	02 28 · 4	2	36 3	28 144 6.8 11
Tenali	70 3	For w/e 20		pplementary)	
Proddatur Hyderabad City	. 43	18 28 2 15 18 1 59 12 2		3 1 34 6	3 15 II.I 2 I 5 6.0 2 27 144 6.8 II
		For w/e 27		pplementary)	2, 11 144 010 11
Proddatur Kothargumian	· 43 4	40 48·4 4 2·7		I	3 18 21.8 3 3 2.1
Andhra Pradesh		For a	n/a 3-8-1957		•
Adoni	39 48	37·0 64·0 27·7	2	I	3 15 tt'8 r 2 11 4'7 2 3 23 25 4 r
Secunderabad Bhimavaram Chirala	188 126 37 24 45 34	34·9 ·• 33·7 ·· 39·3 ··	i	I	6 45 12.4 7 8 11.2 3 I 14 16.2 3
Chitoor Nizamabad , Guddapah ,	46 44 70 12 44 24	49.7 •• 8.9 I 28.4 ••	i	5 2 4 •	3 18 20·3 3 1 7 5·2 2 2 2·4 1
Eluru†	37 32 76 10	45.0 6.8	., ,,		1 12 16·9 3
Guntur† Guntakal Kakinada	39 15 117 49	20.0		4 I .	16 21'3 3 1 30 13'3 3
Kurnool Masulipatnam Nandyal	70 102 91 40 38 24	75.8 22.9 32.8	•• ••	<u>.</u>	4 · 27 20·1 I I 19 10·9 I I 8 10·9 2
Vizianagaram Nellore Proddatur	77 58 98 104	39.2 55.2	3	7 2 4 3	I I 5I 34:4 8 I 35 18:6 14
Rajahmundry. Tenali Vijayvada	70 44 ´	34°3 32°6 33°4		I	31 12.8 8 3 15 11.1 7 3 41 10.2 10
Visakhapatnam	133 72	28•2	2	9 7 10	64 25.0 15
TOTAL	1,764 1,152	34.0 I	9	78 26	50 2 494 14 ·6 9 8

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of symbols used:—B. =Births; B. R. =Birth Rate; C=Cholera; S. =Smallpox; P. =Plague; F. =Fevers-D.D. =Dysentery and Diarrhoea; R.D. =Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); ... =Nil information,

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th August, 1957—contd.

					Deaths	from	:					
Town	Mid-year Popn-Est, 2000)	B. B.R.	С,	s.	۴.	F.	D.D.	R,D.	M.D.	Total	D.R.	LD.
Bihar		For u	v/e 3-8- <u>-</u>	57								
Arrah Bihar	72 I 69		10	••	••	10 2		••	••	24 3	17°3 2°3	••
Bhagalpur Chapra†	T30 2	4 9.6	••	••	••	4	••	••	••	11	4'4	• •
Darbangha	95	5 2.7	••	••	••	2	3	••	••	6	3.3	
Dhanbad Dinapur Gaya	42 45 153	9 11·1 7 8·1 52 17·7	••	•••	••	 2 23	·· 3		••	3 4 46	3·7 4 6 15·6	••
Hazaribagh Jamalpur Jamshedpur	40 2 48 252 II	23 29.9 6 6.5 1 2 2.8	••	::		ï	·· 5	••		6 2 15	7.8 2.2 3.1	2 2
Katih a r Monghyr Muzaffarpur	53 82 87	6 3·8 27 16·1	I 	•••	· · · · · · · · · · · · · · · · · · ·	2 4	••	4 1	••	14 10	6.0 8.9	
Patna	47 .	28 10.9		••	••	9 10	2 •• 3	••	••	39 25	6 9 9·7	 5
TOTAL ,	1,643 4	71 14'9	14	••	••	69	17	16	••	208	6.6	9
Andhra Pradesh			For w	в то-8-	-57							
Adoni Anantpur Anakapalli	66 39 47	46 36·2 20 26·7 18 19·9		••	••	 1 3	2 	4 2	ĭ	12 16 14	9·5 21·3 15·5	5 3 I
Bhimavaram Chirala Chitoor	37 45 46	15 21·1 39 45·1 47 53·1		I 	••	 4 	6 	2 1 4	I 2	18 9 22	25·3 24·9	5 2 4
Guddapah	44	12 14.2				1		I		8	9.5	2
Eluru † Gudivada	37	42 59.0		••	• •	2	2			15	21.1	5
Hyderabad City . Guntur Guntakal		128 6·0 118 40·1 20 26·7		 	•• • •	24 3 4	6 7 3	12 6 	••	61 37 14	2·9 12·6 18·7	8 7 1
Kakinada Secunderabad Kurnool	117 188 70	54 24.0 118 32.0 29 21.4	5 . <i>.</i>	· · · · · · · · · · · · · · · · · · ·		 3		4 4 3	 	31 34 22	13·8 9·4 16·3	 7 6
Masulipatnam Nandyal Warrangal .	9 1 38 160	57 32·6 22 30·1 25 8·1		•••	••	2 1 10			ĭ	27 4 19	15·4 5·5 6·2	5 I
Nellore Proddatur †	98	89 47.2		••		2	2	4	••	34	18.0	9
Rajahmundry .	126	52 21.5		••	••	I	2	3	••	31	12.8	4
Tenali Vijayavada Visakhapatnam	70 210 133	32 23·8 67 16·6 63 24·6	·	••	••	 6 4		3 3 12	••	8 39 48	5·9 9·7 18·8	3 10 9
Vizianagaram .	77	40 27.0	· ·	I		3	3	I	I	37	25.0	7
TOTAL .	3,0 33 I,	153 . 19•8	••	4		74	56	70	7	560	9.6	104
West Bengal				For w/	e 20-7-	· 5 7						
Asansol Baldyabati Bally	. 89 34 . 67	4 2.3 13 19 9 13 10.1		 I	••	••	 I	2		1 8 7	0•6 12·3 5·4	
Bankura Bansberia†	50	2 2.1	=	••		r	••	I	2	10	10.4	••
Baranagar	- 93	35 19.6	•	I		••	2	2 .	••	II	6.2	4

^{*} In cases of towns where there has been an abnormal movement of population, it is likely other the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used 1—B.—Births; B.R.—Birth Rate; C.—Cholers; S.—Smallpox; P.—Plague; P.—Feverv; D.D.,—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D., R.—Death Rate: I.D.—Infantile Deaths (included in total deaths); ...—NII information.

					Deaths from :									
Town		Mid,-year Popn, Est. (000)		B,R. "	С.	ŝ.	Ρ,	F.	D.D.	R.D.	M. D.	Total	D,R *	I,D
West Beng	gal—co	ntd.												
B _{asirhat} Berhampur Bhadreshwar	•	40 65 35	6 52 5	7·8 41·7 7·4	 	7	• •	 I	3	ĭ	••	26 I	20'9 I 5	 5
Bhatpara Budge Budge Burdwan	•	145 3 ² 84	22 10 15	7·9 16·3 9'3	 I	5 1	••	12 I 	, ,	3 1 1	••	40 6 5	14·41 9·8 3·1	5 2
Calcutta	•	3,060 41	1,127 12	15.3 15.3	16 	_3	::	36	74 ••	162 ••		619	10.2	184
Darjeeling† English Bazar Garden Reach		37 127	40 10	56·4 4·1		1	••			2 2		11 8	11·3 4·5	
Kharagpur Halisahar Hoogly-Chinsural	1 .	77 42 61	1 1 106	0·7 1·2 90·6	 		 	Mary Mary	 I	4		4 2 12	2·7 2·5 10·3	••
Howrah Jalpaiguri - Kamarhati†		4 ⁸ 7 50	146 11	11·5		7	••	2 I	15	29 1	ı 	143 4	15·3 4·2	38
Kanchrapara† Chandarnagore Krishnagar		57 58	31	28.4	::			 		I I	••	13 1	0.0	2
Midnapore Nabadwip Naihati	:	45 73 64	33 15 2	38·2 10·7 1·6			••	2 13 1		1 	••	22 17 1	25.2 12.1 0.8	 I
North Barrackpu Panihati Shandpur	r .	37 68 51	4 12	5·6	••	· ·	••	••	 I		••	2 8 2	2·8 6·1 2·0	·
Serampore . Siliguri . Purulia	: :	86 46 49	28 23 8	17.0 26·1 8·5	::	••	••	2	2 	2 2	••	23 6 4	13·9 6·8 4·3	7
South Dum Dun South Suburban Titagarh†	n	87 129	2 18	7·3	2	••	••	3	2	1 4	••	1 19	o·6 7•7	8
Total .		5566	1808	16.9	3 t	29	••	86	106	225	4	1037	9•7	268
West B	engal				F	or wee	1-6-19	57						
Asansol† Baidyabati†		67	2	1.6								2	1.6	
Bally Purulia		49	8	8.5	••	••	••	3		••	••	2 5	5+3	••
Bankura† Bansberia† Baranagar.		93	21	11.8	2	3		I	1	4		21	11.8	4
Basirhat Berhampur		40 65	4 39	5·2	r ••			4		••		2 25	2·6 20·0	
Bhadreshwar	•	• 35	1 18	1·5	••	5	••				• •	5	7.4	8
Bhatpara Budge Budge Burdwan		145 32 84	· 6 15	6.8 6.2	5 1	3	••	13	 I	••	•••	36 8 8	12·9 13·0 5· 0	••
Calcutta . Champdari Cooch Behar†	: :	3,069 41	1,229 7	20·9 8·9	24 1	26 ••	::	71 ••	63	241		850 4	14·4 5·1	178
Kharagpur . Darjeeling. English Bazar	: :	• 77 39 37	1 25 15	გ.ა 33.3 გ.ა	••	••	::	4			••	2 13 83	1·4 17·3 4·2	••

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rate.

†Figures not available.

Explanation of symbols used :—B=Births: B, R,—Birth Rate; C.—Cholera; S,—Smallpox; P,—Plague; F,—Fevers; D,D,—Dysentery and Diarrhoea; R,D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rare I,D.—Infantile Deaths (included in total deaths); ..—Nil information.

Deaths from:

					•					<u> </u>			٦	
Town		Mid-j Popu. (onn)		В, В.	R *	C,	s.	P.	F. D	.D. R	LD. M	LD. To	tal D.R.*	I,D.
West Bengal-	contd.													
Garden Reach . Halisahar Hoogly-Chinsurah		127 42 61	17 2 60	7·0 2·5 51·1		I 2	••	2 ·· 3	2 	I 2		14	5·7 12·8	3 4
Howrah Jalpaiguri Kamarhati†	•	487 50	19 88	· 19·8	17 ••	12	••		12	35	••	174 14	18·6 14·6	51
Kanchrapara Krishnagar Mkhapore		78 58 45	6 13	4.0 15.0		••	••	 I	 	••	••	12	13.9	••
Nabadwip Naihati North Barrackpore	•	73 64 37	23 2 1	16.4 1.6 1.4	•••	•••	•••	10 ••		 	••	17 1 1	12·1 0·8 1·4	ĭ •••
Panihati† Shantipur Serampore	:	51 86	10 28	10.5 10.5		••		3			::	3 22	3°1 3.3	· .
Siliguri South Dum Dum South Suburban	• • •	46 87 129	22 19 12	29·9 11·4 4·8	:: ::	••	 ::	 z	 2	 1		5	5°7 4°0	4
Titagarh	•	79.	19	12.5	• •	••	••	. 13	••	4	••	18	11.9	5
TOTAL		5,464	1,732	16.2	56	54	••	133	85	310	2	1,290	12*3	269

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbol used:—B.=Births; B.R.=Birth Rate; C=Cholera; S=Smallpox; P=Flague; F=Fevers; D.D.=Dysentery and Diarrhoa; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infuntile Deaths (included in total deaths); ..=Nil information,

REMARKS

The figures of births and deaths shown in this statement for week ending the 17th August, 1957, relate to 171 towns with an estimated population of 25,182 thousands. Information about Andhra Pradesh, Assam, Delhi, Kerala, Madhya Pradesh, Rajasthan, and West Bengal could not be included. The total number of towns is 319 and their population is 42,930 thousands. Thus 54% of the total number of towns representing 59% of the total population is covered in this statement. The number of

births and deaths recorded in these towns were 13,514 and 6,987 representing birth and death rates of 27.9 and 14.4 per thousand of population respectively.

Cuttack and Puri in Orissa' were the only town which recorded high death rates of 55 o and 62 4 per thousand of population respectively. In Cuttack high death rate was mainly due to Dysentry and Diarrhoea and in Puri due to fever. The following table shows the position by States.

Stares		w/c 17-8-1957	Corresponding w/e	last year
	B.R.	D.·R.	В. Я.	D.R.
Bihar .	14.3	8.4	17.8	7.9
Bombay	25.3	14.3	30.3	12.0
Madras	33.7	16.5	30.7	74·1
Myeore	21.8	12.3	21.7	8-7
Orissa	. 42.9	44.3	50.5	24.3
Pondicherry	65 6	22.6	65·o	37.5
Punjab	34 9	8.5	37.7	10.3
Uttar Pradesh	30.7	16.0	32.2	
India .	27.9	14.4	30.2	12.6

New Delhi-2 (India);
The 9th September 1957.

H. R. SHARMA, for Registrar General, India.